

Sieve Analysis Data Collection Form ASTM F2075-15 per Section 4.4 and Section 7

TUV SUD America, Inc 1755 Atlantic Blvd. Auburn Hills, MI 48326 Ph: (616) 546-4600

Effective Date: 6/28/17

Milidrica					
Customer/Participar	nt:	Test Date:			
Main Office Address:			Project No.:		
(City, State, Zi	p)		Ambie	nt Air Temp.:°C	
Location ID:				ve Humidity: %	
Product Brand Nam				70 / 70	
	-	Test Equipme	nt Used		
TUV Asset No.:	Equipment Type	Manufacturer	Model		
PLYP00100	Environmental Chamber	Russells	RB-8-1-1, (QE496)		
PLYP00163	Data Logger	Omega	OM-CP-RHTEMP101A		
PLYP00071	Hygro-thermometer	Extech Instruments	445702		
PLYP00177	Hygro-thermometer	Extech Instruments	445702		
PLYP00055	Test Sieve	W.S. Tyler	No. 16 (1.19 mm)		
PLYP00056	Test Sieve	W.S. Tyler	3/8" (9.53 mm)		
PLYP00057	Test Sieve	W.S. Tyler	3/4" (19.05 mm)		
PLYP00059	Sieve Shaker	W.S. Tyler	RX 812		
PLYP00083	Balance	Denver Instruments	1845364	12	
Initial Sample and Container Tare weight of Container Initial Sample Dry Weight	t (g)			Min / Max	
Sample and Container Weight for 3/4" Sieve Tare weight of Container			Sieve Size	<u>Requirements</u>	% Passing
Sample Remaining on 3/4" Sieve (g)		3/4" (19.05 mm)	99 - 100%		
Sample and Container Weight for 3/8" Sieve Tare weight of Container			3/8" (9.53 mm)	75 - 100%	
Sample Remaining on 3/8" Sieve (g)		No. 16 (0.0469 in.)	0 -15%		
Sample and Container W Tare weight of Container	_	'			
Material Remaining on #	16 Sieve (g)				
Sample in compliance v Tare weights of contain Note: Testing performe	ers verified prior to tes	ting.		Yes	No
Performed By: S.Nagvi Title:		Title:	Date:		
Reviewed By:		Title:		Date:	1/29/2018

The results reported herein reflect the performance of the above described samples at the time of testing and at the temperature(s) reported. The results are specific to the described samples. Samples of surfacing materials that do not closely match the described samples will perform differently. The following data sheet provides an accurate representation of the test results.