

Sieve Analysis Data Collection Form ASTM F2075-20 per Section 4.4 and Section 7

TÜV SÜD America, Inc. 1866 New Energy Way Auburn Hills, MI 48326 Ph: (616) 546-4600

Customer/Participant:

Main Office Address:

City, State, Zip:

Location ID:

Commercial Name of Product:

Test Date:

Project No.:

Ambient Air Temp.: °C

Relative Humidity: %

Follow-up: Ref. Job:

Test Equipment Used							
TUV Asset No.:	Equipment Type	<u>Manufacturer</u>	<u>Model</u>				
PLYP00100	Environmental Chamber	Russells	RB-8-1-1, (QE496)				
PLYP00163	Data Logger	Omega	OM-CP-RHTEMP101A				
PLYP00216	Hygro-thermometer	Extech Instruments	445703				
PLYP00211	Hygro-thermometer	Extech Instruments	445702				
PLYP00055	Test Sieve	W.S. Tyler	No. 16 (1.19 mm)				
PLYP00056	Test Sieve	W.S. Tyler	3/8" (9.53 mm)				
PLYP00057	Test Sieve	W.S. Tyler	3/4" (19.05 mm)				
PLYP00059	Sieve Shaker	W.S. Tyler	RX 812				
PLYP00083	Balance	Denver Instruments	18453642				

Data

Initial Sample and Container Weight Tare weight of Container

Initial Sample Dry Weight (g)

Sample and Container Weight for 3/4in. Sieve Tare weight of Container

Sample Remaining on 3/4in. Sieve (g)

Sample and Container Weight for 3/8in. Sieve Tare weight of Container

Sample Remaining on 3/8in. Sieve (g)

Sample and Container Weight for #16 Sieve Tare weight of Container

Material Remaining on #16 Sieve (g)

Sieve Size	Min / Max Requirements	% Passing	
3/4" (19.05 mm)	99 - 100%		
3/8" (9.53 mm)	78 - 100%		
No. 16 (0.0469 in.)	0 -15%		

Material Normalising Off in 10 clove (g)								
Sample in compliance with ASTM F2075-20 for Sieve Analysis Section 4.4 per 7.4: Tare weights of containers verified prior to testing. Note: Testing performed at TÜV SÜD America in Auburn Hills, MI. Comments:								
Performed By:	Title:	Da	ate:					
Reviewed By:	Title:	Da	ate:					

The results reported herein reflect the performance of the above described samples at the time of testing and at the temperature(s) reported. The results are specific to the described samples. Samples of surfacing materials that do not closely match the described samples will perform differently. The following data sheet provides an accurate representation of the test results.